

## DRUG DETERMINATION POLICY

**Title:** DDP-53 Plasminogen Deficiency: Ryplazim

**Effective Date:** 4/23/25

### Important Information - Please Read Before Using This Policy

The following policy applies to health benefit plans administered by UM Health Plan and may not be covered by all UM Health Plan. Please refer to the member's benefit document for specific coverage information. If there is a difference between this general information and the member's benefit document, the member's benefit document will be used to determine coverage. For example, a member's benefit document may contain a specific exclusion related to a topic addressed in a coverage policy.

Benefit determinations for individual requests require consideration of:

1. The terms of the applicable benefit document in effect on the date of service.
2. Any applicable laws and regulations.
3. Any relevant collateral source materials including coverage policies.
4. The specific facts of the particular situation.

Contact UM Health Plan Customer Service to discuss plan benefits more specifically.

### 1.0 Policy:

This policy describes the determination process for coverage of specific drugs.

This policy does not guarantee or approve benefits. Coverage depends on the specific benefit plan. Drug Determination Policies are not recommendations for treatment and should not be used as treatment guidelines.

### 2.0 Background or Purpose:

Ryplazim is a specialty drug indicated for the treatment of Plasminogen Deficiency type I by reducing pseudo-membrane lesions in the conjunctiva of the eyes, respiratory and central nervous system. These criteria were developed and implemented to ensure appropriate use for the intended diagnosis, if possible.

### 3.0 Clinical Determination Guidelines:

Document the following with chart notes:

- I. Ryplazim intravenous (human plasminogen IV) [must meet all listed below]:
  - A. Age: all ages.
  - B. Prescriber: Ophthalmologist, Hematology/Oncology.
  - C. Diagnosis and severity.
    1. Clinical features [must meet at least one listed below]:
      - a. Pseudo-membrane formation in various organ systems.
      - b. Impaired wound healing.
      - c. First-degree relative with plasminogen deficiency.
    2. Laboratory and genetic testing [must meet both listed below]:

a. Plasminogen activity: activity level below 45 percent (normal range 75 to 120 percent)

b. Genetic testing: biallelic pathogenic variants in plasminogen

D. Other therapies: none.

E. Dosage regimen: Ryplazim intravenous (human plasminogen IV).

Initial Dosing*				Maintenance Dosing	
Plasminogen activity level from baseline*	Dose (mg/Kg)	Frequency (days)	Duration (weeks)	Assessment at week 12: have lesions resolved or stabilized	
< 10% increase	6.6	2	12	Yes: Continue every 2 days	No: Continue until improvement
≥10% to ≤ 20% increase		3		Yes: Continue every 3 days	No: increase dosing frequency to every 2 days
>20% increase		4		Yes: Continue every 4 days	No: increase dosing frequency at 1-day increments every 4-8 weeks
If lesions have not resolved by 12 weeks after titrating to a dosage frequency of every 2 days, a trough plasminogen level should be drawn					
Trough plasminogen activity level from baseline				Action	
≥10% increase				Consider other treatment options (e.g. surgical removal of lesions in addition to Ryplazim)	
<10% increase				Redraw trough to confirm and consider discontinuing	

\*Draw Plasminogen activity level 72 hours after the initial 6.6mg/kg dose

F. Approval:

1. Initial: three months.

2. Re-approval: three to six months, depending on maintenance dose assessment.

#### 4.0 Coding:

COVERED CODES - MEDICAL BENEFIT				
Code	Brand	Generic	Billing Units (1 unit)	Prior Approval Required
J2998	Ryplazim	plasminogen human-tvmh	1 mg	Yes

## 5.0 References, Citations & Resources:

1. Lexi comp Online® Lexi-Drugs®, Hudson, Ohio: Lexi-Comp, Inc.; Ryplazim accessed March 2025.
2. UpToDate Plasminogen deficiency [https://www.uptodate.com/contents/plasminogen-deficiency?search=plasminogen%20deficiency&source=search\\_result&selectedTitle=1~27&usage\\_type=default&display\\_rank=1](https://www.uptodate.com/contents/plasminogen-deficiency?search=plasminogen%20deficiency&source=search_result&selectedTitle=1~27&usage_type=default&display_rank=1) accessed February 2022

## 6.0 Appendices:

None.

## 7.0 Revision History:

Original Effective Date: 05/08/2025

Next Review Date: 05/01/2026

Revision Date	Reason for Revision
3/22	Annual review, clarified policy instructions and formatting changes
2/23	Annual review, updated coding table, clarified dosing table
2/24	Annual review, removed Appendix I: Patient Safety and Monitoring, removed other therapies as Ryplazim is the standard of care and we do not require any other lines of therapy prior to approval of Ryplazim,
2/25	Annual review; update reference, clarify coding